

Division of Licensing and Protection

103 South Main Street

Waterbury, VT 05671-2306

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 871-3317

Survey and Certification Fax (802) 871-3318

Survey and Certification Reporting Line: (88) 700-5330

To Report Adult Abuse: (800) 564-1612

February 17, 2016

Meagan Buckley, Administrator  
Burlington Health & Rehab  
300 Pearl Street  
Burlington, VT 05401-8531

Provider #: 475014

Dear Ms. Buckley:

The Division of Licensing and Protection conducted an onsite complaint investigation on **February 8, 2016**. The purpose of the investigation was to determine if your facility was in compliance with Federal participation requirements of the Medicare/Medicaid Program. The investigation was completed on **February 8, 2016** and there were no regulatory violations related to the complaint allegations.

Sincerely,



Pamela M. Cota, RN  
Licensing Chief

Enclosure



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/17/2016  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>475014</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____	(X3) DATE SURVEY COMPLETED  <b>C</b>  <b>02/08/2016</b>
--	---	--	---

NAME OF PROVIDER OR SUPPLIER  <b>BURLINGTON HEALTH &amp; REHAB</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>300 PEARL STREET</b> <b>BURLINGTON, VT 05401</b>
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F 000 INITIAL COMMENTS

An unannounced onsite complaint investigation was conducted by the Division of Licensing & Protection on 2/9&10/2016. There were no regulatory deficiencies identified during the investigation.

F 000

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.