

Division of Licensing and Protection

HC 2 South, 280 State Drive

Waterbury VT 05671-2060

<http://www.dail.vermont.gov>

Survey and Certification Voice/TTY (802) 241-0480

To Report Adult Abuse: (800) 564-1612

Survey and Certification Fax (802) 241-0343

Survey and Certification Reporting Line: (888) 700-5330

August 23, 2016

Debra Clemmer, Manager
Lakeview Community Care Home
322 St Paul Street
Burlington, VT 05401-4647

Dear Ms. Clemmer:

The Division of Licensing and Protection completed a complaint investigation at your facility on **August 17, 2016**. The purpose of the investigation was to determine if your facility was in compliance with Residential Care Home Licensing Regulations. There were no regulatory violations as a result of this investigation.

If you have any questions regarding this report, please feel free to contact this office at (802) 241-0480.

Sincerely,



Pamela Cota, RN
Licensing Chief

Division of Licensing and Protection

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 0177	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED C 08/17/2016
--	--	--	---

NAME OF PROVIDER OR SUPPLIER LAKEVIEW COMMUNITY CARE HOME	STREET ADDRESS, CITY, STATE, ZIP CODE 322 ST PAUL STREET BURLINGTON, VT 05401
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

R100 Initial Comments:

An unannounced onsite investigation by the Division of Licensing & Protection of an entity self-report was conducted on 8/17/16. There were no regulatory deficiencies identified as a result of the investigation.

R100

Division of Licensing and Protection

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE